SUBJECT INDEX

b = Book review; *L* = Letter to the Editor; *sc* = Short Communication

PII: S0003-4878(00)00075-2

Aaberg hood, Theoretical and numerical predictions of two-dimensional Aaberg slot exhaust hoods 375–390
ACGIH *see* American Conference of Governmental Industrial Hygienists
Acrylates
A tape-stripping method for measuring dermal exposure to multifunctional acrylates 645–651
Workers' dermal exposure to UV-curable acrylates in the furniture and parquet industry 635–644
"Additive factor", Exposure to organic solvents in the offset printing industry in Norway 119–124
Aeroallergens, Natural rubber latex aeroallergen exposure in rubber plantation workers and glove manufacturers in Thailand and health care workers in a UK hospital 79–88
Aerosols
Mineral oil metal working fluids (MWFs)–development of practical criteria for mist sampling 165–172
On the use of computational fluid dynamics in the prediction and control of exposure to airborne contaminants–an illustration using spray painting 191–202
Africa, Microscopic identification of asbestos fibres associated with African clay crafts manufacture 137–141
Air flow
Required response time for variable air volume fume hood controllers 143–150
A simple method for fume cupboard performance assessment 291–300
Theoretical and numerical predictions of two-dimensional Aaberg slot exhaust hoods 375–390
Airborne contaminants
Analyses of Hazardous Substances in Air—Volume 4 653–654*b*
Dermal exposure assessment 493–499
Modelling of skin exposure from distributed sources 529–532
Twenty-five years of inhalable dust 561–563
Airless spray painting, Assessment of dermal exposure using a quantitative visualisation technique 543–549
α-amylase, Comparison of four methods to assess fungal α-amylase in flour dust 427–433
Aluminium industry, Beyond the job exposure matrix (JEM): the task exposure matrix (TEM) 475–482
Amateurs, Potential exposure of amateurs (consumers) through painting wood preservative and antifoulant preparations 421–426
Ambient magnetic fields, Walkthrough survey of ambient fields and sources 603–614
American Conference of Governmental Industrial Hygienists (ACGIH) definition, Estimating factors to convert Chinese 'total dust' measurements to ACGIH respirable concentrations in metal mines and pottery industries 251–257
Amosite, The quantitative risks of mesothelioma and lung cancer in relation to asbestos exposure 565–601
Amphibole fibres, The quantitative risks of mesothelioma and lung cancer in relation to asbestos exposure 565–601
Aniline derivatives, Risk of pancreatic cancer and occupational exposures in Spain 391–403
Anti-neoplastic drugs, Postulating a dermal pathway for exposure among hospital workers. Applying a conceptual model to the results of three workplace surveys 551–560, 657
Antifoulants, Potential exposure of amateurs (consumers) through painting wood preservative and antifoulant preparations 421–426
Antioxidants, Depletion of glutathione and ascorbate in lung lining fluid by respirable fibres 101–108
Asbestos
Confusion about the precision of asbestos fibres counting by electron microscopy 75–76*L*
Depletion of glutathione and ascorbate in lung lining fluid by respirable fibres 101–108
Exposure and laryngeal cancer 239–250
An important source of error in asbestos-related lung cancer estimates 484–487*L*
Lung tissue and carcinoma of the lung: a clinicopathologic correlation and mineral fiber analysis of 234 cases 109–117
Magic Mineral to Killer Dust: Turner & Newall and the Asbestos Hazard 654–655*b*
Microscopic identification of asbestos fibres associated with African clay crafts manufacture 137–141
The quantitative risks of mesothelioma and lung cancer in relation to asbestos exposure 565–601
Ascorbate, Depletion of glutathione and ascorbate in lung lining fluid by respirable fibres 101–108
Asphalt
Designing an international industrial hygiene database of exposures among workers in the asphalt industry 57–66
Statistical modelling of the determinants of historical exposure to bitumen and polycyclic aromatic hydrocarbons among paving workers 43–56
Aviation Medicine 159*b*

Bacteria, Effects of personal exposures on pulmonary function and work-related symptoms among sawmill workers 281–289
Barriers, Identification of dermal exposure pathways in the rubber manufacturing industry 533–541
Benzene, Retrospective exposure assessment for benzene in the Australian petroleum industry 301–320
Benzo(*a*)pyrene
Polycyclic aromatic hydrocarbon exposure in an artificial shooting target factory: assessment of 1-hydroxypyrene urinary excretion as a biological indicator of exposure 89–100
Risk of pancreatic cancer and occupational exposures in Spain 391–403
Statistical modelling of the determinants of historical exposure to bitumen and polycyclic aromatic hydrocarbons among paving workers 43–56
ß-radiation, Modelling of skin exposure from distributed sources 529–532
Biohazards, Effects of personal exposures on pulmonary function and work-related symptoms among sawmill workers 281–289
Bitumen
Analytical results of inhalation study on bitumen fumes at two exposure levels 31–41
Designing an international industrial hygiene database of exposures among workers in the asphalt industry 57–66
Development and validation of a fume generation system in the study of exposure to bitumen fumes 15–29
Statistical modelling of the determinants of historical exposure to bitumen and polycyclic aromatic hydrocarbons among paving workers 43–56
BOHS President 1999–2000, Alison Wright Reid 163

Botswana, Microscopic identification of asbestos fibres associated with African clay crafts manufacture 137–141
Breathing zone
Contaminant dispersion in the vicinity of a worker in a uniform velocity field 219–225
On the use of computational fluid dynamics in the prediction and control of exposure to airborne contaminants–an illustration using spray painting 191–202
Bronchoalveolar lavage, *In vitro* and *in vivo* tests for determination of the pathogenicity of quartz, diatomaceous earth, mordenite and clinoptilolite 67–74
***n*-Butanol**, Influence of evaporation and solvent mixtures on the absorption of toluene and *n*-butanol in human skin in vitro 125–135

Cancer
see also Carcinogenicity
Asbestos content of lung tissue and carcinoma of the lung: a clinicopathologic correlation and mineral fiber analysis of 234 cases 109–117
Asbestos exposure and laryngeal cancer 239–250
Designing an international industrial hygiene database of exposures among workers in the asphalt industry 57–66
An important source of error in asbestos-related lung cancer estimates 484–487^{L}
Oesophageal cancer and occupational exposure to rubber: a nested case-control study 355–359
The quantitative risks of mesothelioma and lung cancer in relation to asbestos exposure 565–601
Retrospective exposure assessment for benzene in the Australian petroleum industry 301–320
Risk of pancreatic cancer and occupational exposures in Spain 391–403
Silica and lung cancer: hazard or risk 1–2, 321–322^{L}
Statistical modelling of the determinants of historical exposure to bitumen and polycyclic aromatic hydrocarbons among paving workers 43–56
Car painters, Exposure to organic solvents among car painters in Bergen, Norway 185–189
Carbon black, Trends in levels of inhalable dust exposure, exceedance and overexposure in the European carbon black manufacturing industry 271–280
Carcinogenicity
see also Cancer
Analyses of Hazardous Substances in Air—Volume 4 653–654^{b}
Analytical results of inhalation study on bitumen fumes at two exposure levels 31–41
Depletion of glutathione and ascorbate in lung lining fluid by respirable fibres 101–108
Epidemiological evidence on the carcinogenicity of silica 3–14, 483–484^{L}
Hazard surveillance for industrial magnetic fields 603–633
Polycyclic aromatic hydrocarbon exposure in an artificial shooting target factory: assessment of 1-hydroxypyrene urinary excretion as a biological indicator of exposure 89–100
A survey of exposure to diesel engine exhaust emissions in the workplace 435–447
Carcinoma, Asbestos content of lung tissue and carcinoma of the lung: a clinicopathologic correlation and mineral fiber analysis of 234 cases 109–117
Ceramic fibres *see* Fibres
CET *see* Corrected Effective Temperature
Chemicals, Control of Substances Hazardous to Health (COSHH) Essentials: Easy Steps to Control Chemicals 160–161^{b}
China, Estimating factors to convert Chinese 'total dust' measurements to ACGIH respirable concentrations in metal mines and pottery industries 251–257
Chrysotile
Magic Mineral to Killer Dust: Turner & Newall and the Asbestos Hazard 654–655^{b}
The quantitative risks of mesothelioma and lung cancer in relation to asbestos exposure 565–601
Cigarette factories, Exposure to microbes, endotoxins and total dust in cigarette and cigar manufacturing: an evaluation of health hazards 467–473
Clinoptilolite, *In vitro* and *in vivo* tests for determination of the pathogenicity of quartz, diatomaceous earth, mordenite and clinoptilolite 67–74
Coal tar, Inhalation study on exposure to bitumen fumes 31–41
Compartments, Identification of dermal exposure pathways in the rubber manufacturing industry 533–541
Computational fluid dynamics
An analytical, numerical, and experimental comparison of the fluid velocity in the vicinity of an open tank with one and two lateral exhaust slot hoods and a uniform crossdraft 407–419
Method for assessing fume cupboard performance 203–217
Theoretical and numerical predictions of two-dimensional Aaberg slot exhaust hoods 375–390
Use in the prediction and control of exposure to airborne contaminants–an illustration using spray painting 191–202
Contaminant dispersion, In the vicinity of a worker in a uniform velocity field 219–225
Contamination, Postulating a dermal pathway for exposure to anti-neoplastic drugs among hospital workers. Applying a conceptual model to the results of three workplace surveys 551–560, 657
Control measures, Trends in exposure to inhalable particulate and dermal contamination in the rubber manufacturing industry: effectiveness of control measures implemented over a nine-year period 343–354
Control of Substances Hazardous to Health (COSHH), Essentials: Easy Steps to Control Chemicals 160–161^{b}
Control systems, Required response time for variable air volume fume hood controllers 143–150
Convection of human being, Contaminant dispersion in the vicinity of a worker in a uniform velocity field 219–225
Conversion factors, Estimating factors to convert Chinese 'total dust' measurements to ACGIH respirable concentrations in metal mines and pottery industries 251–257
Copper, Estimating factors to convert Chinese 'total dust' measurements to ACGIH respirable concentrations in metal mines and pottery industries 251–257
Corrected Effective Temperature (CET), Heat exposure study in the workplace in a glass manufacturing unit in India 449–453
COSHH *see* Control of Substances Hazardous to Health
Counting, Confusion about the precision of asbestos fibres counting by electron microscopy 75–76^{L}
Crafts, Microscopic identification of asbestos fibres associated with African clay crafts manufacture 137–141
Cristobalite, Epidemiological evidence on the carcinogenicity of silica 3–14, 483–484^{L}
Crocidolite, The quantitative risks of mesothelioma and lung cancer in relation to asbestos exposure 565–601
Crossdrafts, An analytical, numerical, and experimental comparison of the fluid velocity in the vicinity of an open tank with one and two lateral exhaust slot hoods and a uniform crossdraft 407–419
CSM *see* Cyclohexane soluble matter
Cyclohexane soluble matter (CSM)
Identification of dermal exposure pathways in the rubber manufacturing industry 533–541
Trends in exposure to inhalable particulate and dermal

contamination in the rubber manufacturing industry: effectiveness of control measures implemented over a nine-year period 343–354
Cyclophosphamide, Postulating a dermal pathway for exposure to anti-neoplastic drugs among hospital workers. Applying a conceptual model to the results of three workplace surveys 551–560, 657
Cytotoxicity, *In vitro* and *in vivo* tests for determination of the pathogenicity of quartz, diatomaceous earth, mordenite and clinoptilolite 67–74

Deposition, Modelling of skin exposure from distributed sources 529–532
Dermal exposure
Assessment 493–499
Assessment during airless spray painting using a quantitative visualisation technique 543–549
A decade of real progress 489–491
Hand wash and manual skin wipes 501–510
Identification of dermal exposure pathways in the rubber manufacturing industry 533–541
Modelling of skin exposure from distributed sources 529–532
Postulating a dermal pathway for exposure to anti-neoplastic drugs among hospital workers. Applying a conceptual model to the results of three workplace surveys 551–560, 657
Potential exposure of amateurs (consumers) through painting wood preservative and antifoulant preparations 421–426
Suction methods for assessing contamination on surfaces 523–528
A tape-stripping method for measuring dermal exposure to multifunctional acrylates 645–651
Trends in exposure to inhalable particulate and dermal contamination in the rubber manufacturing industry: effectiveness of control measures implemented over a nine-year period 343–354
Use of patches and whole body sampling for assessment 511–518
Use of qualitative and quantitative fluorescence techniques for assessment 519–522
Workers' dermal exposure to UV-curable acrylates in the furniture and parquet industry 635–644
Determinants of exposure, Statistical modelling of exposure to bitumen and polycyclic aromatic hydrocarbons among paving workers 43–56
Diatomaceous earth, *In vitro* and *in vivo* tests for determination of the pathogenicity of quartz, diatomaceous earth, mordenite and clinoptilolite 67–74
Diesel engine exhaust, A survey of exposure in the workplace 435–447
Dust
Effects of personal exposures on pulmonary function and work-related symptoms among sawmill workers 281–289
Estimating factors to convert Chinese 'total dust' measurements to ACGIH respirable concentrations in metal mines and pottery industries 251–257
Exposure to microbes, endotoxins and total dust in cigarette and cigar manufacturing: an evaluation of health hazards 467–473
Exposure to rubber fume and rubber process dust in the general rubber goods, tyre manufacturing and retread industries 329–342
Hazard Prevention and Control in the Work Environment: Airborne Dust. Protection of the Human Environment Occupational Health and Environmental Health Series 405[b]
Inflammatory potential of dust from waste handling facilities measured as Il-8 secretion from lung epithelial cells *in vitro* 259–269
Separation efficiency of a wood dust collector-field measurement using a fluorescent aerosol 173–183
A study on dust emission, particle size distribution and formaldehyde concentration during machining of medium density fibreboard 455–466
Trends in levels of inhalable dust exposure, exceedance and overexposure in the European carbon black manufacturing industry 271–280
Twenty-five years of inhalable dust 561–563
Dyes, Risk of pancreatic cancer and occupational exposures in Spain 391–403

Electromagnetic fields (EMF)
Field characteristics from waveform measurements 615–633
Walkthrough survey of ambient fields and sources 603–614
Electron microscopy, Confusion about the precision of asbestos fibres counting 75–76[L]
Elemental carbon measurement, A survey of exposure to diesel engine exhaust emissions in the workplace 435–447
ELF *see* Extremely low frequency
EMDEX meter, Walkthrough survey of ambient magnetic fields and sources 603–614
EMF *see* Electromagnetic fields
Endotoxins
Effects of personal exposures on pulmonary function and work-related symptoms among sawmill workers 281–289
Exposure to microbes, endotoxins and total dust in cigarette and cigar manufacturing: an evaluation of health hazards 467–473
Inflammatory potential of dust from waste handling facilities measured as Il-8 secretion from lung epithelial cells *in vitro* 259–269
Epidemiology
Beyond the job exposure matrix (JEM): the task exposure matrix (TEM) 475–482
Designing an international industrial hygiene database of exposures among workers in the asphalt industry 57–66
Evidence on the carcinogenicity of silica 3–14, 483–484[L]
Ergonomics, Hand–arm vibration: a comprehensive guide for occupational health professionals 236[b]
EU classification, Epidemiological evidence on the carcinogenicity of silica 3–14, 483–484[L]
Exceedance, Trends in levels of inhalable dust exposure, exceedance and overexposure in the European carbon black manufacturing industry 271–280
Exhaust slot hood, An analytical, numerical, and experimental comparison of the fluid velocity in the vicinity of an open tank with one and two lateral exhaust slot hoods and a uniform crossdraft 407–419
Exhaust ventilation
Required response time for variable air volume fume hood controllers 143–150
Theoretical and numerical predictions of two-dimensional Aaberg slot exhaust hoods 375–390
Exposure
Analytical results of inhalation study on bitumen fumes at two exposure levels 31–41
Asbestos and laryngeal cancer 239–250
Contaminant dispersion in the vicinity of a worker in a uniform velocity field 219–225
Development and validation of a fume generation system in the study of exposure to bitumen fumes 15–29
Effects of personal exposures on pulmonary function and work-related symptoms among sawmill workers 281–289
Estimating factors to convert Chinese 'total dust' measurements to ACGIH respirable concentrations in metal mines and pottery industries 251–257

Heat exposure study in the workplace in a glass manufacturing unit in India 449–453
Long-term trends in occupational exposure: are they real? What causes them? What shall we do with them? 325–327
Magic Mineral to Killer Dust: Turner & Newall and the Asbestos Hazard 654–655[b]
Natural rubber latex aeroallergen exposure in rubber plantation workers and glove manufacturers in Thailand and health care workers in a UK hospital 79–88
Oesophageal cancer and occupational exposure to rubber: a nested case-control study 355–359
On the use of computational fluid dynamics in the prediction and control of exposure to airborne contaminants–an illustration using spray painting 191–202
Organic solvents among car painters in Bergen, Norway 185–189
Organic solvents in the offset printing industry in Norway 119–124
Polycyclic aromatic hydrocarbons in an artificial shooting target factory: assessment of 1-hydroxypyrene urinary excretion as a biological indicator of exposure 89–100
Potential exposure of amateurs (consumers) through painting wood preservative and antifoulant preparations 421–426
The quantitative risks of mesothelioma and lung cancer in relation to asbestos exposure 565–601
Risk of pancreatic cancer and occupational exposures in Spain 391–403
Rubber fume and rubber process dust in the general rubber goods, tyre manufacturing and retread industries 329–342
A survey of exposure to diesel engine exhaust emissions in the workplace 435–447
Trends in exposure to inhalable particulate and dermal contamination in the rubber manufacturing industry: effectiveness of control measures implemented over a nine-year period 343–354
Trends in levels of inhalable dust exposure, exceedance and overexposure in the European carbon black manufacturing industry 271–280
Twenty-five years of inhalable dust 561–563
Workers' dermal exposure to UV-curable acrylates in the furniture and parquet industry 635–644

Exposure assessment
Assessment of dermal exposure during airless spray painting using a quantitative visualisation technique 543–549
Benzene in the Australian petroleum industry 301–320
Beyond the job exposure matrix (JEM): the task exposure matrix (TEM) 475–482
Dermal exposure 493–499
Dermal exposure: a decade of real progress 489–491
Designing an international industrial hygiene database of exposures among workers in the asphalt industry 57–66
An evaluation of the health hazards of exposure to microbes, endotoxins and total dust in cigarette and cigar manufacturing 467–473
Hand wash and manual skin wipes 501–510
Identification of dermal exposure pathways in the rubber manufacturing industry 533–541
Industrial magnetic field characteristics from waveform measurements 615–633
Postulating a dermal pathway for exposure to anti-neoplastic drugs among hospital workers. Applying a conceptual model to the results of three workplace surveys 551–560, 657
Retrospective exposure assessment for benzene in the Australian petroleum industry 301–320
Statistical modelling of the determinants of historical exposure to bitumen and polycyclic aromatic hydrocarbons among paving workers 43–56
A tape-stripping method for measuring dermal exposure to multifunctional acrylates 645–651
Use of patches and whole body sampling for the assessment of dermal exposure 511–518
Use of qualitative and quantitative fluorescence techniques to assess dermal exposure 519–522

Exposure criteria, Regression method to estimate provisional TLV/WEEL-equivalents for non-carcinogens 361–374

Extremely low frequency (ELF) magnetic fields
Field characteristics from waveform measurements 615–633
Walkthrough survey of ambient magnetic fields and sources 603–614

Face velocity, A simple method for fume cupboard performance assessment 291
Facial size categories, Fit factors for quarter masks 227–234
Fibres
Asbestos content of lung tissue and carcinoma of the lung: a clinicopathologic correlation and mineral fiber analysis of 234 cases 109–117
Depletion of glutathione and ascorbate in lung lining fluid by respirable fibres 101–108
Microscopic identification of asbestos fibres associated with African clay crafts manufacture 137–141

Fibrosis, *In vitro* and *in vivo* tests for determination of the pathogenicity of quartz, diatomaceous earth, mordenite and clinoptilolite 67–74
Filter sampling, Mineral oil metal working fluids (MWFs)–development of practical criteria for mist sampling 165–172
Finnish job-exposure matrix (FINJEM), Risk of pancreatic cancer and occupational exposures in Spain 391–403
Fit factor, Quarter masks and facial size categories 227–234
Flour dust, Comparison of four methods to assess fungal –amylase in flour dust 427–433
Flow visualisation, A simple method for fume cupboard performance assessment 291–300
FLUENT software, An analytical, numerical, and experimental comparison of the fluid velocity in the vicinity of an open tank with one and two lateral exhaust slot hoods and a uniform crossdraft 407–419
Fluid flow, An analytical, numerical, and experimental comparison of the fluid velocity in the vicinity of an open tank with one and two lateral exhaust slot hoods and a uniform crossdraft 407–419
Fluorescent tracers
Assessment of dermal exposure during airless spray painting using a quantitative visualisation technique 543–549
Postulating a dermal pathway for exposure to anti-neoplastic drugs. Applying a conceptual model to the results of three workplace surveys 551–560, 657
Separation efficiency of a wood dust collector-field measurement using a fluorescent aerosol 173–183
Use of qualitative and quantitative fluorescence techniques to assess dermal exposure 519–522

Fork-lift trucks, A survey of exposure to diesel engine exhaust emissions in the workplace 435–447
Formaldehyde, A study on dust emission, particle size distribution and formaldehyde concentration during machining of medium density fibreboard 455–466
Fume cupboards
Method for assessing fume cupboard performance 203–217
Required response time for variable air volume fume hood controllers 143–150

A simple method for fume cupboard performance assessment 291–300
Fume generation system
Analytical results of inhalation study on bitumen fumes at two exposure levels 31–41
Development and validation of equipment for inhalation study on exposure to bitumen fumes 15–29
Fume hoods *see* Fume cupboards
Fungal α-amylase, Comparison of four methods to assess fungal α-amylase in flour dust 427–433
Fungi
Effects of personal exposures on pulmonary function and work-related symptoms among sawmill workers 281–289
Exposure to microbes, endotoxins and total dust in cigarette and cigar manufacturing: an evaluation of health hazards 467–473
Furniture industry, Workers' dermal exposure to UV-curable acrylates in the furniture and parquet industry 635–644

Geometric mean fit factor (GMFF), Fit factors for quarter masks and facial size categories 227–234
Glass factories, Heat exposure study in the workplace in a glass manufacturing unit in India 449–453
Glove manufacturers, Natural rubber latex aeroallergen exposure in rubber plantation workers and glove manufacturers in Thailand and health care workers in a UK hospital 79–88
(1→3)-ß-D-Glucan, Effects of personal exposures on pulmonary function and work-related symptoms among sawmill workers 281–289
Glutathione, Depletion of glutathione and ascorbate in lung lining fluid by respirable fibres 101–108
GMFF *see* Geometric mean fit factor

Haemolysis, *In vitro* and *in vivo* tests for determination of the pathogenicity of quartz, diatomaceous earth, mordenite and clinoptilolite 67–74
Hand wash, Manual skin wipes 501–510
Hand–arm vibration
A comprehensive guide for occupational health professionals 236[b]
Hand Arm Vibration Syndrome. Proceedings of the Joint Symposium 406[b]
Hardwood, A study on dust emission, particle size distribution and formaldehyde concentration during machining of medium density fibreboard 455–466
Hazard Prevention, Control in the Work Environment: Airborne Dust. Protection of the Human Environment Occupational Health and Environmental Health Series 405[b]
Hazard surveillance
Magnetic field characteristics from waveform measurements 615–633
Walkthrough survey of ambient magnetic fields and sources 603–614
Hazardous substances
Analyses of Hazardous Substances in Air—Volume 4 653–654[b]
Analyses of Hazardous Substances in Biological Materials 236–237[b]
Health care
Natural rubber latex aeroallergen exposure in rubber plantation workers and glove manufacturers in Thailand and health care workers in a UK hospital 79–88
Occupational Health for Healthcare Workers 406[b]
Health regulations, Control of Substances Hazardous to Health (COSHH) Essentials: Easy Steps to Control Chemicals 160–161[b]
Heat stress
Heat exposure study in the workplace in a glass manufacturing unit in India 449–453
International standards for the assessment of the risk of thermal strain on clothed workers in hot environments 155–156[L]
Hospital workers, Postulating a dermal pathway for exposure to anti-neoplastic drugs. Applying a conceptual model to the results of three workplace surveys 551–560, 657
Humidifiers, Exposure to microbes, endotoxins and total dust in cigarette and cigar manufacturing: an evaluation of health hazards 467–473
l-Hydroxypyrene (PyOH), Polycyclic aromatic hydrocarbon exposure in an artificial shooting target factory: assessment of l-hydroxypyrene urinary excretion as a biological indicator of exposure 89–100

IARC *see* International Agency for Research on Cancer
Immunology, Comparison of four methods to assess fungal α-amylase in flour dust 427–433
India, Heat exposure study in the workplace in a glass manufacturing unit in India 449–453
Indoor air pollution, Modelling of skin exposure from distributed sources 529–532
Inductively Coupled Plasma Mass Spectrometry, Analyses of Hazardous Substances in Biological Materials 236–237[b]
Inflammation
In vitro and *in vivo* tests for determination of the pathogenicity of quartz, diatomaceous earth, mordenite and clinoptilolite 67–74
Inflammatory potential of dust from waste handling facilities measured as Il-8 secretion from lung epithelial cells *in vitro* 259–269
Inhalable dust *see* Dust
Inhalation
Analytical results of inhalation study on bitumen fumes at two exposure levels 31–41
Dermal exposure assessment 493–499
Development and validation of a fume generation system in the study of exposure to bitumen fumes 15–29
Potential exposure of amateurs (consumers) through painting wood preservative and antifoulant preparations 421–426
Twenty-five years of inhalable dust 561–563
Interleukin 8 (Il-8), Inflammatory potential of dust from waste handling facilities measured as Il-8 secretion from lung epithelial cells *in vitro* 259–269
International Agency for Research on Cancer (IARC)
Analytical results of inhalation study on bitumen fumes at two exposure levels 31–41
Designing an international industrial hygiene database of exposures among workers in the asphalt industry 57–66
Development and validation of a fume generation system in the study of exposure to bitumen fumes 15–29
Epidemiological evidence on the carcinogenicity of silica 3–14, 483–484[L]
Silica: hazard or risk 1–2, 321–322[L]
Statistical modelling of the determinants of historical exposure to bitumen and polycyclic aromatic hydrocarbons among paving workers 43–56
International standards, Assessment of the risk of thermal strain on clothed workers in hot environments 155–156[L]
Iron, Estimating factors to convert Chinese 'total dust' measurements to ACGIH respirable concentrations in metal mines and pottery industries 251–257
Isocyanite, A study on dust emission, particle size distribution and formaldehyde concentration during machining of medium density fibreboard 455–466
Isopropanol *see* Propan-2-ol

Job exposure matrix (JEM), Beyond the job exposure matrix: the task exposure matrix (TEM) 475–482

Korea, Fit factors for quarter masks and facial size categories 227–234

Laboratory ventilation, Required response time for variable air volume fume hood controllers 143–150
Lactate dehydrogenase release, *In vitro* and *in vivo* tests for determination of the pathogenicity of quartz, diatomaceous earth, mordenite and clinoptilolite 67–74
Laryngeal cancer, Asbestos exposure 239–250
Lateral exhaust slot hood, An analytical, numerical, and experimental comparison of the fluid velocity in the vicinity of an open tank with one and two lateral exhaust slot hoods and a uniform crossdraft 407–419
Latex, Natural rubber latex aeroallergen exposure in rubber plantation workers and glove manufacturers in Thailand and health care workers in a UK hospital 79–88
Lead, Risk of pancreatic cancer and occupational exposures in Spain 391–403
Leukaemia, Retrospective exposure assessment for benzene in the Australian petroleum industry 301–320
Limulus amebocyte lysate assay, Inflammatory potential of dust from waste handling facilities measured as Il-8 secretion from lung epithelial cells *in vitro* 259–269
Local exhaust ventilation, An analytical, numerical, and experimental comparison of the fluid velocity in the vicinity of an open tank with one and two lateral exhaust slot hoods and a uniform crossdraft 407–419
Long-term trends
Exposure to inhalable particulate and dermal contamination in the rubber manufacturing industry: effectiveness of control measures implemented over a nine-year period 343–354
Occupational exposure: are they real? What causes them? What shall we do with them? 325–327
Lung
Effects of personal exposures on pulmonary function and work-related symptoms among sawmill workers 281–289
In vitro and *in vivo* tests for determination of the pathogenicity of quartz, diatomaceous earth, mordenite and clinoptilolite 67–74
Inflammatory potential of dust from waste handling facilities measured as Il-8 secretion from lung epithelial cells *in vitro* 259–269
Lung cancer
Asbestos content and carcinoma of the lung: a clinicopathologic correlation and mineral fiber analysis of 234 cases 109–117
An important source of error in asbestos-related lung cancer estimates 484–487*L*
The quantitative risks of mesothelioma and lung cancer in relation to asbestos exposure 565–601
Silica: hazard or risk 1–2, 321–322*L*
Lung lining fluid, Depletion of glutathione and ascorbate in lung lining fluid by respirable fibres 101–108
Lympho-haematopoietic cancer, Retrospective exposure assessment for benzene in the Australian petroleum industry 301–320

Magnetic fields (MF)
Hazard surveillance: field characteristics from waveform measurements 615–633
Hazard surveillance: walkthrough survey of ambient fields and sources 603–614
Man-made fibres *see* Fibres
Manual skin wipes, Hand wash 501–510
Mass transport, Identification of dermal exposure pathways in the rubber manufacturing industry 533–541
Mastic, Statistical modelling of the determinants of historical exposure to bitumen and polycyclic aromatic hydrocarbons among paving workers 43–56
MDF *see* Medium density fibreboard
Mean Radiant Temperature (MRT), Heat exposure study in the workplace in a glass manufacturing unit in India 449–453
Medium density fibreboard (MDF), A study on dust emission, particle size distribution and formaldehyde concentration during machining of medium density fibreboard 455–466
Mesothelioma
An important source of error in asbestos-related lung cancer estimates 484–487*L*
The quantitative risks of mesothelioma and lung cancer in relation to asbestos exposure 565–601
Metal mines, Estimating factors to convert Chinese 'total dust' measurements to ACGIH respirable concentrations in metal mines and pottery industries 251–257
Metalworking fluid, Mineral oil metal working fluids (MWFs)–development of practical criteria for mist sampling 165–172
MF *see* Magnetic fields
Microorganisms, Exposure to microbes, endotoxins and total dust in cigarette and cigar manufacturing: an evaluation of health hazards 467–473
Mineral fibres *see* Fibres
Mineral oil, Metal working fluids (MWFs)–development of practical criteria for mist sampling 165–172
Mining dust, Estimating factors to convert Chinese 'total dust' measurements to ACGIH respirable concentrations in metal mines and pottery industries 251–257
Monoclonal antibodies, Comparison of four methods to assess fungal –amylase in flour dust 427–433
Mordenite, *In vitro* and *in vivo* tests for determination of the pathogenicity of quartz, diatomaceous earth, mordenite and clinoptilolite 67–74
MRT *see* Mean Radiant Temperature
Multifunctional acrylates
A tape-stripping method for measuring dermal exposure to multifunctional acrylates 645–651
Workers' dermal exposure to UV-curable acrylates in the furniture and parquet industry 635–644
Multivariate analysis of variance
Estimating factors to convert Chinese 'total dust' measurements to ACGIH respirable concentrations in metal mines and pottery industries 251–257
Trends in levels of inhalable dust exposure, exceedance and overexposure in the European carbon black manufacturing industry 271–280
Multiwave® II instrument, Magnetic field characteristics from waveform measurements 615–633
Musculoskeletal disorders, Work-related Musculoskeletal Disorders 237*b*
MWF *see* Metal working fluid

Natural rubber latex (NRL), Aeroallergen exposure in rubber plantation workers and glove manufacturers in Thailand and health care workers in a UK hospital 79–88
Neoplasm, Risk of pancreatic cancer and occupational exposures in Spain 391–403
Norway, Exposure to organic solvents in the offset printing industry in Norway 119–124
NRL *see* Natural rubber latex
Nuclear industry, Modelling of skin exposure from distributed sources 529–532
Nurses, Postulating a dermal pathway for exposure to anti-neoplastic drugs. Applying a conceptual model to the results of three workplace surveys 551–560, 657

Obituary, William Henry Walton 151–154
Occupational exposure *see* Exposure
Occupational Health 157–158*b*
The Changing Nature of Occupational Health 235*b*
Hazard Prevention and Control in the Work Environment: Airborne Dust. Protection of the Human Environment Occupational Health and Environmental Health Series 405*b*
Healthcare Workers 406*b*

Occupational skin management, Essentials of Occupational Skin Management. A practical guide to the creation and maintenance of an effective skin management system 77[b]
Oesophageal cancer, Occupational exposure to rubber: a nested case-control study 355–359
Offset printing, Exposure to organic solvents in the offset printing industry in Norway 119–124
Oil mist, Mineral oil metal working fluids (MWFs)–development of practical criteria for mist sampling 165–172
Open surface tank, An analytical, numerical, and experimental comparison of the fluid velocity in the vicinity of an open tank with one and two lateral exhaust slot hoods and a uniform crossdraft 407–419
Organic dust, Inflammatory potential of dust from waste handling facilities measured as Il-8 secretion from lung epithelial cells *in vitro* 259–269
Organic solvents
Exposure in the offset printing industry in Norway 119–124
Exposure to organic solvents among car painters in Bergen, Norway 185–189
Influence of evaporation and solvent mixtures on the absorption of toluene and *n*-butanol in human skin in vitro 125–135
Risk of pancreatic cancer and occupational exposures in Spain 391–403
Overexposure, Trends in levels of inhalable dust exposure, exceedance and overexposure in the European carbon black manufacturing industry 271–280

PAH *see* Polycyclic aromatic hydrocarbon
Painting
Assessment of dermal exposure during airless spray painting using a quantitative visualisation technique 543–549
Exposure to organic solvents among car painters in Bergen, Norway 185–189
On the use of computational fluid dynamics in the prediction and control of exposure to airborne contaminants–an illustration using spray painting 191–202
Potential exposure of amateurs (consumers) through painting wood preservative and antifoulant preparations 421–426
Pancreatic cancer, Occupational exposures in Spain 391–403
Parquet industry, Workers' dermal exposure to UV-curable acrylates in the furniture and parquet industry 635–644
Particulates
Postulating a dermal pathway for exposure to anti-neoplastic drugs among hospital workers. Applying a conceptual model to the results of three workplace surveys 551–560, 657
Suction methods for assessing contamination on surfaces 523–528
Trends in exposure to inhalable particulate and dermal contamination in the rubber manufacturing industry: effectiveness of control measures implemented over a nine-year period 343–354
Patch sampling, Use of patches and whole body sampling for the assessment of dermal exposure 511–518
Pathogenicity
Depletion of glutathione and ascorbate in lung lining fluid by respirable fibres 101–108
In vitro and *in vivo* tests for determination of the pathogenicity of quartz, diatomaceous earth, mordenite and clinoptilolite 67–74
Pesticides, Risk of pancreatic cancer and occupational exposures in Spain 391–403
Petroleum industry, Retrospective exposure assessment for benzene in the Australian petroleum industry 301–320
Petroleum pitch, Polycyclic aromatic hydrocarbon exposure in an artificial shooting target factory: assessment of l-hydroxypyrene urinary excretion as a biological indicator of exposure 89–100
Polyclonal antibodies, Comparison of four methods to assess fungal –amylase in flour dust 427–433
Polycyclic aromatic hydrocarbons (PAH)
Analytical results of inhalation study on bitumen fumes at two exposure levels 31–41
Development and validation of a fume generation system in the study of exposure to bitumen fumes 15–29
Exposure in an artificial shooting target factory: assessment of l-hydroxypyrene urinary excretion as a biological indicator of exposure 89–100
Statistical modelling of the determinants of historical exposure to bitumen and polycyclic aromatic hydrocarbons among paving workers 43–56
Potential flow model, Theoretical and numerical predictions of two-dimensional Aaberg slot exhaust hoods 375–390
Pottery, Estimating factors to convert Chinese 'total dust' measurements to ACGIH respirable concentrations in metal mines and pottery industries 251–257
Propan-2-ol, Exposure to organic solvents in the offset printing industry in Norway 119–124
PyOH *see* l-Hydroxypyrene

Quantitative visualisation, Assessment of dermal exposure during airless spray painting using a quantitative visualisation technique 543–549
Quartz
Epidemiological evidence on the carcinogenicity of silica 3–14, 483–484[L]
In vitro and *in vivo* tests for determination of the pathogenicity of quartz, diatomaceous earth, mordenite and clinoptilolite 67–74

Ranking, A simple method for fume cupboard performance assessment 291–300
Recirculation, Separation efficiency of a wood dust collector-field measurement using a fluorescent aerosol 173–183
Refractory ceramic fibre, Depletion of glutathione and ascorbate in lung lining fluid by respirable fibres 101–108
Regression method, Estimation of provisional TLV/WEEL-equivalents for non-carcinogens 361–374
Reid, Alison Wright, President of BOHS 1999-2000 163
Removal techniques, Hand wash and manual skin wipes 501–510
Residence time, Hand wash and manual skin wipes 501–510
Respirable dust
Effects of personal exposures on pulmonary function and work-related symptoms among sawmill workers 281–289
Estimating factors to convert Chinese 'total dust' measurements to ACGIH respirable concentrations in metal mines and pottery industries 251–257
Respirable fibres *see* Fibres
Respirators, Fit factors for quarter masks and facial size categories 227–234
Retrospective exposure assessment *see* Exposure assessment
Risk assessment
International standards for the assessment of the risk of thermal strain on clothed workers in hot environments 155–156
Occupational Health 157–158[b]
Road construction, Statistical modelling of the determinants of historical exposure to bitumen and polycyclic aromatic hydrocarbons among paving workers 43–56
Rubber industry
Exposure to rubber fume and rubber process dust in the

general rubber goods, tyre manufacturing and retread industries 329–342
Identification of dermal exposure pathways in the rubber manufacturing industry 533–541
Oesophageal cancer and occupational exposure to rubber: a nested case-control study 355–359
Trends in exposure to inhalable particulate and dermal contamination in the rubber manufacturing industry: effectiveness of control measures implemented over a nine-year period 343–354
Rubber plantation workers, Natural rubber latex aeroallergen exposure in workers and glove manufacturers in Thailand and health care workers in a UK hospital 79–88

Sampling techniques
Analyses of Hazardous Substances in Air—Volume 4 653–654[b]
Hand wash and manual skin wipes 511–518
Mineral oil metal working fluids (MWFs)–development of practical criteria for mist sampling 165–172
Suction methods for assessing contamination on surfaces 523–528
Use of patches and whole body sampling for the assessment of dermal exposure 511–518
Sawmills, Effects of personal exposures on pulmonary function and work-related symptoms among sawmill workers 281–289
Silica
Epidemiological evidence of carcinogenicity 3–14, 483–484[L]
In vitro and *in vivo* tests for determination of the pathogenicity of quartz, diatomaceous earth, mordenite and clinoptilolite 67–74
Lung cancer: hazard or risk 1–2, 321–322[L]
Silicon carbide, Depletion of glutathione and ascorbate in lung lining fluid by respirable fibres 101–108
Skin absorption, Influence of evaporation and solvent mixtures on the absorption of toluene and *n*-butanol in human skin in vitro 125–135
Skin exposure
Hand wash and manual skin wipes 501–510
Modelling of skin exposure from distributed sources 529–532
A tape-stripping method for measuring dermal exposure to multifunctional acrylates 645–651
Workers' dermal exposure to UV-curable acrylates in the furniture and parquet industry 635–644
Skin management, Essentials of Occupational Skin Management. A practical guide to the creation and maintenance of an effective skin management system 77[b]
Smair samplers, Assessment of contamination on surfaces 523–528
Softwood, A study on dust emission, particle size distribution and formaldehyde concentration during machining of medium density fibreboard 455–466
Solvents
Exposure to organic solvents among car painters in Bergen, Norway 185–189
Exposure to organic solvents in the offset printing industry in Norway 119–124
Influence of evaporation and solvent mixtures on the absorption of toluene and *n*-butanol in human skin in vitro 125–135
Risk of pancreatic cancer and occupational exposures in Spain 391–403
Spain, Risk of pancreatic cancer and occupational exposures 391–403
Spray painting
Assessment of dermal exposure during airless spray painting using a quantitative visualisation technique 543–549
On the use of computational fluid dynamics in the prediction and control of exposure to airborne contaminants–an illustration using spray painting 191–202
Standardized mortality ratio, Asbestos exposure and laryngeal cancer 239–250
Statistical modelling, Determinants of historical exposure to bitumen and polycyclic aromatic hydrocarbons among paving workers 43–56
Suction samplers, Assessment of contamination on surfaces 523–528
Sulphur compounds, Risk of pancreatic cancer and occupational exposures in Spain 391–403
Surface sampling, Suction methods for assessing contamination on surfaces 523–528
Synthetic fibres *see* Fibres

Tape stripping
A method for measuring dermal exposure to multifunctional acrylates 645–651
Workers' dermal exposure to UV-curable acrylates in the furniture and parquet industry 635–644
Task exposure matrix (TEM), Beyond the job exposure matrix (JEM) 475–482
Thailand, Natural rubber latex aeroallergen exposure in workers and glove manufacturers in Thailand and health care workers in a UK hospital 79–88
Thermal strain, International standards for the assessment of the risk of thermal strain on clothed workers in hot environments 155–156[L]
Threshold limit value (TLV), Regression method to estimate provisional TLV/WEEL-equivalents for non-carcinogens 361–374
Tin, Estimating factors to convert Chinese 'total dust' measurements to ACGIH respirable concentrations in metal mines and pottery industries 251–257
TLV *see* Threshold limit value
Tobacco dust, Exposure to microbes, endotoxins and total dust in cigarette and cigar manufacturing: an evaluation of health hazards 467–473
Toluene, Influence of evaporation and solvent mixtures on the absorption of toluene and *n*-butanol in human skin in vitro 125–135
Total dust samplers, Twenty-five years of inhalable dust 561–563
Toxicity, Regression method to estimate provisional TLV/WEEL-equivalents for non-carcinogens 361–374
TPGDA *see* Tripropylene glycol diacrylate
Tracer gas, Required response time for variable air volume fume hood controllers 143–150
Tracers *see* Fluorescent tracers
Tremolite, Microscopic identification of asbestos fibres associated with African clay crafts manufacture 137–141
Tripropylene glycol diacrylate (TPGDA)
A tape-stripping method for measuring dermal exposure to multifunctional acrylates 645–651
Workers' dermal exposure to UV-curable acrylates in the furniture and parquet industry 635–644
Tropical countries, Heat exposure study in the workplace in a glass manufacturing unit in India 449–453
Tungsten, Estimating factors to convert Chinese 'total dust' measurements to ACGIH respirable concentrations in metal mines and pottery industries 251–257
Turbulent flow model, Theoretical and numerical predictions of two-dimensional Aaberg slot exhaust hoods 375–390
Turner & Newall, Magic Mineral to Killer Dust: Turner & Newall and the Asbestos Hazard 654–655[b]
Two-dimensional Aaberg hood, Theoretical and numerical predictions of two-dimensional Aaberg slot exhaust hoods 375–390
Tyre industry, Exposure to rubber fume and rubber process

dust in the general rubber goods, tyre manufacturing and retread industries 329–342

Urea–formaldehyde resin, A study on dust emission, particle size distribution and formaldehyde concentration during machining of medium density fibreboard 455–466
Urinary excretion, Polycyclic aromatic hydrocarbon exposure in an artificial shooting target factory: assessment of 1-hydroxypyrene urinary excretion as a biological indicator of exposure 89–100
UV radiation-curable acrylates
A tape-stripping method for measuring dermal exposure to multifunctional acrylates 645–651
Workers' dermal exposure in the furniture and parquet industry 635–644

Vacuum samplers, Assessment of contamination on surfaces 523–528
Ventilation 219
Contaminant dispersion in the vicinity of a worker in a uniform velocity field 219–225
Influence of evaporation and solvent mixtures on the absorption of toluene and *n*-butanol in human skin in vitro 125–135
On the use of computational fluid dynamics in the prediction and control of exposure to airborne contaminants–an illustration using spray painting 191–202
Required response time for variable air volume fume hood controllers 143–150
Separation efficiency of a wood dust collector-field measurement using a fluorescent aerosol 173–183
Theoretical and numerical predictions of two-dimensional Aaberg slot exhaust hoods 375–390
Visualisation
Assessment of dermal exposure during airless spray painting using a quantitative visualisation technique 543–549
A simple method for fume cupboard performance assessment 291–300
Vitreous fibres *see* Fibres

Walkthrough survey, Ambient magnetic fields and sources 603–614
Walton, William Henry, Obituary 151–154
Washing, Hand wash and manual skin wipes 501–510
Waste handling, Inflammatory potential of dust from waste handling facilities measured as Il-8 secretion from lung epithelial cells *in vitro* 259–269
Waveform measurements, Hazard surveillance for industrial magnetic fields 615–633
WBGT *see* Wet Bulb Globe Temperature
WEEL *see* Workplace environmental exposure level
Wet Bulb Globe Temperature (WBGT), Heat exposure study in the workplace in a glass manufacturing unit in India 449–453
Whole body sampling, Use of patches and whole body sampling for the assessment of dermal exposure 511–518
Wiping, Hand wash and manual skin wipes 501–510
Wood dust
Effects of personal exposures on pulmonary function and work-related symptoms among sawmill workers 281–289
Separation efficiency of a wood dust collector-field measurement using a fluorescent aerosol 173–183
A study on dust emission, particle size distribution and formaldehyde concentration during machining of medium density fibreboard 455–466
Wood preservative, Potential exposure of amateurs (consumers) through painting wood preservative and antifoulant preparations 421–426
Workplace environmental exposure level (WEEL), Regression method to estimate provisional TLV/WEEL-equivalents for non-carcinogens 361–374

Zeolite, *In vitro* and *in vivo* tests for determination of the pathogenicity of quartz, diatomaceous earth, mordenite and clinoptilolite 67–74

AUTHOR INDEX

b = Book review; *L* = Letter to the Editor; *sc* = Short Communication

PII: S0003-4878(00)00076-4

Adamis, Z. 67
Adams, G. G. 301
Aitken, R. J. 511
Aldred, G. 475
Alguacil, J. 391
Allermann, L. 259
Alwis, K. U. 281
Andersson, I.-M. 219
Andersson, K. G. 529
Anzion, R. 551, 657
Attfield, M. D. 361

Bard, D. 137
Baur, X. 427
Bedillion, E. J. 361
Belin, L. 427
Bell, K. S. 101
Bémer, D. 173
Benavides, F. G. 391
Benke, G. 475
Bernal, F. 391
Beswick, P. H. 101
Bianchi, A. 653*b*
Bignon, J. 3
Binet, S. 15, 31
Bisby, J. A. 301
Boeniger, M. F. 501
Boffetta, P. 43
Boman, A. 125
Bonnet, P. 15, 31
Bos, R. P. 533
Bowman, J. D. 603, 615
Braithwaite, M. G. 159*b*
Brandt, H. 15, 31
Brennan, P. 57
Brouwer, D. H. 501, 519, 543
Brown, D. M. 101
Browne, K. 239
Burdorf, A. 235*b*, 237*b*
Burge, P. S. 79
Burstyn, I. 43, 57
Byrne, M. A. 523

Cain, J. R. 435
Calle, S. 173
Carrato, A. 391
Castegnaro, M. 15, 31
Chamings, A. J. 406*b*
Checkoway, H. 483*L*
Chen, B. T. 251
Chen, J. 251
Chen, W. 251
Cherrie, J. W. 493, 519, 543
Chung, K. Y. K. 455
Clark, R. P. 203, 291
Cocker, J. 236*b*
Conroy, L. M. 407
Corbett McDonald, J. 322*L*
Cox, G. 329
Cruise, P. J. 57
Cuthbert, R. J. 455

Darnton, A. 565
de Calcina-Goff, M. L. 203, 291
De Groot, P. 15, 31
de Hartog, J. 343
Delsaut, P. 89
Doekes, G. 427
Donaldson, K. 101
Dost, A. A. 329
Duffus, J. 321*L*

Ekberg, L. E. 143
Eli Hollund, B. 185

Fenske, R. A. 489
Fischer, T. 635
Flynn, M. R. 191
Fogh, C. L. 529
Fritschi, L. 475

Gao, P. 251
Gardiner, K. 271
Garrington, N. 137
Garrod, A. N. I. 421
Gazzi, D 160*b*
Gee, J. B. L. 239
Glass, D. C. 301
Grover, F. 291
Groves, J. A. 165, 435
Guiver, R. 421

Han, D.-H. 227
Hearl, F. J. 251
Heederik, D. 427
Heideman, J. 533
Heikkila, P. 43
van Hemmen, J. J. 77*b*, 501, 543
Hocking, A. D. 281
Hodgson, J. T. 565
Hoek, F. 551, 657
Honma, K. 67
Howie, R. M. 484*L*
Huijbers, R. 551, 657

Ingham, D. B. 375, 407

Jackson, J. R. 157*b*
Johnston, J. R. 405*b*
Jones, M. 79
Jordan, B. 155*L*
Joseph, E. 449

Kauppinen, T. 43, 391
Kenny, L. C. 561
Khudu-Petersen, K. 137
Kogevinas, M. 391
Kriech, A. J. 15, 31
Kromhout, H. 43, 57, 271, 325, 343, 493, 519, 533, 551, 657
Kumar, A. 449
Kumar, R. 449

Lafontaine, M. 15, 31, 89
Lansink, C. M. 543
Li, K. 355
Lillienberg, L. 427
Lindh, T. 635

McCawley, M. A. 251
McDonald, C. 1
Maibach, H. I. 125
Malats, N. 391
Malchaire, J. 406*b*
Mandryk, J. 281
Manuell, R. W. 301
Marttinen, K. 219
Melin, J. 143
Methner, M. M. 603, 615
Mielo, T. 219
Miller, B. G. 3, 483*L*
Moen, B. E. 185
Morele, Y. 15, 31, 89

Nicholson, G. P. 203, 291
Niemela, R. 219
Nunge, H. 15, 31
Nylander-French, L. A. 645

Obiols, J. 391
Odencrantz, J. 251
Ogden, T. L. 561, 654*b*
Overmars, R. F. 551, 657

Parsons, K. 156*L*
Partanen, T. 391
Payan, J. P. 89
Piney, M. 165
Porta, M. 391
Poulsen, O. M. 259
Préat, B. 75*L*

Räisänen, J. 219
Raulf-Heimsoth, M. 427
Redman, D. 329
Regnier, R. 173
Reiman, M. 467
Revell, G. S. 455
Riediger, G. 76*L*
Rifà, J. 391
Rimmer, D. A. 421
Robertson, A. 3, 511
Rödelsperger, K. 76*L*
Roff, M. 519
Roggli, V. L. 109
Rognes, K. S. 119
Rosen, G. 219, 635

Sadhra, S. 79
Sander, I. 427
Sanders, L. L. 109
Schneider, T. 493
Schwerha, D. J. 251
Searl, A. 3
Semple, S. 511
Sills, E. D. 191
Sim, M. 475
Simpson, A. T. 165
Six, É. 67
Soderholm, S. C. 251
Soutar, C. A. 3, 483*L*, 511
Sri-Akajunt, N. 79
Srivastava, A. 449

Ståhl, A. 427
Summers, N. 455
Surakka, J. 635
Svendsen, K. 119
Swuste, P. 343

Tátrai, E. 67
Thissen, J. 427
van Tongeren, M. J. A. 271
Trevelyan, P. M. J. 407
Tylee, B. 137

Uitterhoeve, R. 551, 657
Uitti, J. 467
Ungváry, G. 67
Unwin, J. 165

Vermeulen, R. 325, 343, 493, 519, 533, 551, 657

Walter, K. M. 361
Wassel, S. G. 455
Welling, I. 219
Wen, X. 375
Whaley, D. A. 361
Wieslander, G. 236*b*
Wissel, H. 15, 31

Yarwood, J. 137
Yi, Q. 361
Yu, S. 355

Zabierek, K. E. 157*b*